

निविदा-(02)

भारत सेवा संस्थान द्वारा संचालित छोटे लोहिया जनेश्वर मिश्र सार्वजनिक पुस्तकालय, बक्शी का तालाब इण्टरकालेज, बक्शी का तालाब लखनऊ के लिए एक अतिरिक्त हाल का निर्माण कार्य के लिए निविदा।

Si. No.	Item	Quantity	Unit	Rate	Amount
1.	Earthwork in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing, removal of stumps and other deletrious materials and disposal up to a lead of 50m dressing of sides and bottom and backfilling in trenches with excavated suitable matrial.	64.25	Cum		
2.	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. In layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50m and lift up to 1.5m. (Cartae Earth).	62.99	Cum		
3.	Providing and laying in cement concrete 1:6:12 (1cement, 6 coarse sand, 12 graded stone ballast aggregate 40mm Nominal size) including supply of all materials, labour and T&P etc. required for proper completion of the work and curing coplete, also including cost of form work in foundation and floors.	19.01	Cum		
4.	Brick work with common burnt clay F.P.S (non modular) bricks of class 150 in foundation and plinth in cement mortar 1:4 (1 cement : 4 coarse sand).	15.37	Cum		
5.	Centering and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform.	185.11	Sqm		
6.	R.C.C. work with cement approved coarse sand and 2 cm.(3/4") guage approved stone grit in the proportion of 1:1.5:3 in lintels of doors and windows excluding supply of reinforcement and its binding but including its. Fixing and binding the same with 24 B.W.G.G.I binding wire and including necessary centering and shuttering etc. and also including supply of all materials, labour and T&P etc. required for proper completion of the works. Binding wire cost being included in the item in ground floor.	42.11	Cum		
7.	Mild steel or iron in plain work such as rein-forced concrete or reinforced brick work (when not included in overall rates) wrought to required shape as necessary including ben-ding for proper completion of the work and including supply of steel its wastage bend hooks and authorized overlapping shall be measured up to floor two tevel.	41.59	Qtl		
8.	Mill steel or iron work in heavy sizes such as trusses built up gates doors frames record racks roof work gates etc. wrought to required form including drilling holes riveting or welding where necessary and also including supply of steel bolts nuts etc. & their fixing required for proper completion of the work.	5.98	Qtl		

9.	Brick work with common burnt clay F.P.S. (non modular) bricks of class 150 in superstructure above plinth level up to floor V level in all shapes and size in : Cement mortar 1:4 (1 cement : 4 coarse sand)	19.41	Cum		
10.	12mm plaster of mixed 1:4 (1 cement :4 coarsand).	221.78	Sqm		
11.	15 mm plaster of mixed 1:4 (1 cement : 4coarsand).	159.38	Sqm		
12	15mm Thick plaster with cement mortar in proportion of 1:3 cement and Three parts of approved coarse sand.	108.35	Sqm		
13.	Finishing walls with acrylic smooth exterior paint of required shade : New work (Two or more coat applies @ 1.67 ltr/10sqm over and including priming caot of exterior primer applied @ 2.20kg/10sqm)	159.38	Sqm		
14.	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade : Two or more coats on new work.	221.78	Sqm		
15.	Painting or varnishing work in small areas or new wood work with one coat upto one square metre of ready mixed priming paint and one coat of approed superior quality ready mixed paint or varnish including supply of all materials, labour, tools & plants etc. required for proper completion of the work. Paint to be used should fonfirm the ISI no. 103-1950 (M.S. Works)	52.13	Sqm		
16.	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1 st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: Extra for cutting rebate in flush door shutters (Total area of the shutter to be measured).	6.30	Sqm		
17.	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 40mm thick with 20mm nominal size stone aggregate.	115.22	Sqm		
18.	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty: Float glass panes of nominal thickness 4 mm (weight not less than 10kg/Sqm).	13.46	Sqm		
19.	Providing and fixing 16 mm M.S. Fan clamps of standard shape and size in existing R.C.C. slab, including cutting chase, anchoring clamp to reinforcement bar, including cleaning, refilling, making good the chase with matching concrete, plastering and painting the exposed portion of the clamps complete.	9.00	No		

20.	wiring points for light with 1.5 sqmm. FRLSH PVC insulated multistrand single core copper conductor cable in PVC conduit pipe partly concealed in wall and partly laid in slab along with the reinforcement , complete with 1.5 sqmm FRLSH PVC insulated multistrand copper conductor cable as earth continuity wire and piano type switch etc. complete in all respects.	18.00	No		
21.	Same as item no.(1) but for fan and light duty exhaust fan.	9.00	No		
22.	Same as item no.(1) but for 5 amp plug point with piano type switch and socket etc.	4.00	No		
23.	Supply & wiring submains with 2 nos. 2.5 sq.mm & with 1 no. earth wire of 1.5 sqmm FRLSH PVC insulated 1100 V grade single core multistrand copper conductor cable in heavy duty 20mm dia PVC conduit partly concealed in wall and partly laid in slab.	32.00	Rmt		
24.	Supply and wiring of submain 2 number 4 sqmm. FRLSH PVC insulated 1100 V grade multistranded single core copper conductor cable in heavy duty 20mm dia PVC conduit partly concealed in wall and partly laid in slab along with one number 2.5sqmm PVC insulated multistranded copper conductor cable as earth continuity wire etc. complete in all respects.	18.00	Rmt		
25.	Supply and fixing of LED tube Light batten fitting suitable for up to 1 into 22 watt LED tube light on surface complete in all respect CAT-AAA.	9.00	No.		
26.	Supply and fixing of 1200 mm Fan (Crompton, Havells or Equivelent).	9.00	No.		

Terms and conditions:

1. A sum of Rs. 20,000/- as earnest money along with tender documents through Bank Draft in the name of Bharat Seva Sansthan.
2. All documents including drawings are to be signed by the tenderer failing which the tender shall be rejected without giving any reason.
3. Tenderers can be asked to submit their analysis of rates justifying their quoted rates.
4. Last date for depositing of tender is 31-01-2021 at 4:00 PM and tender will be opened on same date at 4:30PM
5. Drawing Enclosed.

Note: Any other work if not mentioned in the details provided but required for the completion of the building work upto the satisfaction of work incharge like roof terracing ,windows, antitermite, Plinth beam,electrical,plumbing etc,should be considered while quoting the rates

General Secretary
Bharat Seva Sansthan
2- Rana Pratap Marg
Moti Mahal Lucknow

